

Quality packaging for quality Products



Stretch Wrapping machines : Carton , Reel, Pallet, Spiral, Ring / Coil, Fabric Roll and Baggage.

Shrink Wrapping machines : Shrink Tunnel, Semi Automatic L-Sealer with Tunnel, Semi / Automatic Web Sealer with Tunnel

Shrink Wrapping Machines

General Features

- Sturdy Construction.
- Adequately Insulated Chamber.
- Thermostatically Control Heater (Digital Temperature Controller).
- Tunnel opening shall be provided with heat resistant silicon cloth.
- Conveyor pipe coupled with chain.
- Wire mesh & Flat conveyor available on request.
- Variable conveyor speed (Optional).
- Silicon tube on conveyor pipe (Optional).

Model	Standard Size	Size of Tunnel	Temp.	Power
SE-3	1150 X 550 X 1150	24" X 12" X 8"	50-250	4kw, 440v 3ø + Neutral
SE-4	1750 X 680 X 1575	34" X 16" X 12"	50-250	6kw, 440v 3ø + Neutral
SE-5	1750 X 830 X 1625	34" X 22" X 14"	50-250	8kw, 440v 3ø + Neutral

* All machines can be made as per specific requirements.

Shrink Tunnel



Dual Tunnel for printed label



Large Tunnel



Shrink Wrapping Machines with sealer and Tunnel



Automatic Web Sealer

Automatic Web sealer

- Product Tray infeed conveyor.
- Positive film unwinding
- Auto wrapper/sealer (web sealing)
- Constantly heated knife Sealing.
- 8 to 10 packs per minute output.
- Shrink Tunnel with cooline zone.
- Available in different sizes.



Semi Automatic L-Sealer with Tunnel

Semi Automatic L-sealer with Tunnel

- Sturdy construction.
- Manual/Auto feed in to tunnel.
- Manual/pneumatic operated sealing frame.
- Sealing frame with magnetic lock.
- 10 to 15 packs per minute output.
- Controllable sealing time.

Stretch Wrapping Machines

General Features

- Protection from dust, moisture and foreign particles & pilferage.
- Sturdy Construction.
- Gives stability to Carton/Reel.
- Save cost and time.
- Adjustable wrapping cycle time.
- Variable Turntable speed
- Less power consumption.
- User friendly.
- Less maintenance.

Specifications : Carton wrapper
Cartoon size : 24" X 24" (max)
Cartoon weight : 50 Kg. (max)
Wrapping rate : 30 to 80 cartoons/hr.
Power req. : 220V Single phase, 1HP

Useful for different Cartons like food, Pharmaceuticals, Garments, Electricals & Electronics, Engineering, Chemicals etc.

Specifications : Reel Wrapper
Reel diameter : 200 to 500 mm (max)
Reel width : 100 to 500 mm (max)
Reel weight : 50 Kg. (max)
Wrapping rate : 15 to 70 reels / hour
Power req. : 220V Single phase, 1HP

Useful for different Rolls like Film, Laminated Film Rolls, Paper Rolls, Wire Spools etc.

Carton Wrapper



Reel Wrapper



Pallet / Fabric Roll Wrapping Machines

Pallet Wrapper



Pallet Wrapper

- Protection from dust, moisture, foreign particles & pilferage.
- Gives stability to Pallets.
- Save cost and time.
- Sturdy Construction.
- Automatic wrapping cycle.
- Variable turn table speed, top & bottom wraps, variable overlap% and variable stretch%.
- Less power consumption.
- Less film consumption.
- Less maintenance.

Fabric Roll Wrapper

- Automated Wrapping Cycle.
- Saves Time and labour.
- Easy loading and unloading of Roll.
- Cost effective against Shrink wrapping.
- Power pre-stretch for less film consumption.
- Variable speed for roller, Stretch% and overlapping %.
- Less maintenance.
- User friendly.
- Suitable for fabric roll like Denim, Furnishing and Carpet.
- Suitable for different cloth width.

Fabric Roll Wrapper



* All machines can be made as per specific requirements.

Spiral / Coil Wrapper

Spiral Wrapper



Salient Features

- Sturdy Construction
- Less maintenance
- Protection from dust, moisture and foreign particles & pilferage.
- Adjustable Film overlapping.
- Adjustable cycle time.
- Custom made design for various application.

Spiral Wrapper :

Useful for Tubelight bundle, Plastic / Metal Pipe bundle, Aluminium Section, Wooden Section and any other long materials.

Coil Wrapper



Coil Wrapper :

Useful for Tyre, Braided Pipe coil, Metal Pipe coil, Wire bundle, Cycle and Motor cycle rims,

Baggage Wrapper

Salient Features

- Protection from pilferage.
- Sturdy Construction.
- Automatic wrapping cycle.
- Adjustable Holders to hold the Baggage.
- Less maintenance.
- Power pre-stretch up to 200%
- Less Power consumption, run on single phase power supply.
- Output 50-60 pack/hr.

Baggage Wrapper :

Useful at Airport, suitable for Computer box, Baggage.



VISIPAK
Shrink & Stretch Wrapping Solution

Samrath
engineers

33, Gopal Industrial Estate, B/h. Harshad Chambers, Opp. Vallabh Nagar School, Odhav, Ahmedabad-382 415 India
Tel. : +91 - 79 - 2289 4525 • Fax : +91 - 79 - 2287 1415 • Email : sales@samrath.org • Url : www.samrath.org

All Rights Reserved


Subject to Revision